



ErgoOne® E Single-Channel Pipettes



Product Highlights

- Easy to use, intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit
- Reliable
- Autoclavable pipette shaft
- 1-year warranty

Product Applications

Pipetting

Reverse Pipetting of "tricky" liquids (e. g. with high viscosity)

Mixing

Dispense

Electrophoresis (excl. 1000 µl and 5000 µl models)

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



General Data

| | |
|----------------|--|
| Art. No. | See variations |
| Autoclavable | Autoclavable pipette shaft |
| Operating mode | Electronic |
| Pipetting type | Air-cushion |
| Operation | Battery operated piston stroke / manual tip ejection |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



More informations about ErgoOne® E Single-Channel Pipettes











Reliable and ergonomic!

ErgoOne® E electronic pipettes provide reliable pipetting every day. Ergonomic and lightweight, ErgoOne® E pipettes are perfect for comfortable pipetting during long periods of use. ErgoOne® E and Starlab's TipOne® pipette tips provide the perfect pipetting partnership, but the optimized design of the tip cone provides the user with a convenient universal tip fit.

Four operating modes provide standard and reverse pipetting, as well as mixing and dispensing. A unique "Electrophoresis" mode (available on all models excluding 1000 µl, 1250 µl, and 5000 µl,) is also available to help you load gels easily. The long-lasting battery can also be charged during use so you are never without your pipette.




All Variations


| PRODUCT NAME | PACKAGING SIZE | ART. NO. |
|---|---------------------------|------------|
|  ErgoOne® E Single-Channel Pipette Electronic, 0.5 – 10µl Volume range: 0.5 - 10 µl  Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | G9001-0010 |
|  ErgoOne® E Single-Channel Pipette Electronic, 2 – 20µl Volume range: 2.0 - 20 µl  Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | G9001-0020 |
|  ErgoOne® E Single-Channel Pipette Electronic, 10 – 200µl Volume range: 10 - 200 µl  Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | G9001-0200 |
|  ErgoOne® E Single-Channel Pipette Electronic, 50 – 1000µl Volume range: 50 - 1,000 µl  Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | G9001-1000 |
|  ErgoOne® E Single Channel Pipette Electronic, 250 – 5000µl Volume range: 250 - 5,000 µl  Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | G9001-5000 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



Accessories

| PRODUCT NAME | PACKAGING SIZE | ART. NO. |
|---|----------------------------|------------|
|  Silicone Oil for Piston (for 5000 µl Single-Channel and all Multi-Channel Pipettes) | 1 Piece (1 Pack × 1 Piece) | G9999-1007 |
|  Fluorstatic Grease for Guiding Axis (for Multi-Channel Pipettes) | 1 Piece (1 Pack × 1 Piece) | G9999-1008 |
|  Individual Stand (for Single-Channel Pipettes, 10 µl to 1000 µl) | 1 Piece (1 Box × 1 Piece) | G9999-1002 |
|  Individual Stand (for 5000 µl Single-Channel Pipette) | 1 Piece (1 Box × 1 Piece) | G9999-1003 |
|  Shelf Holder for one ErgoOne® E pipette | 1 Piece (1 Box × 1 Piece) | G9999-1009 |
|  Wall Mount for one ErgoOne® E pipette | 1 Piece (1 Box × 1 Piece) | G9999-1010 |
|  Universal stand for one ErgoOne® E pipette - all volumes | 1 Piece (1 Box × 1 Piece) | G9999-1011 |
|  Replacement Battery for ErgoOne® E | 1 Piece (1 Box × 1 Piece) | G9999-1005 |
|  AC Adapter for Europe/UK (230V/50 Hz) | 1 Piece (1 Box × 1 Piece) | G9999-1000 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk